

HEAVY DUTY DUMP BODIES & HOISTS

Made in **USA**



Call 1-800-622-8223

HPT



BUILT STRONG

The DuraClass **HPT** is the undisputed workhorse for those who haul for a living. HPT delivers more payload on the job and more profit to your bottom line. With its interlaced understructure and vertical side braces, the HPT is the industry benchmark for durability, productivity, and resale value at trade-in time. Like all Premium Heavy Duty DuraClass dump bodies, the HPT uses high tensile steel throughout for superior strength and lighter body weight than comparable dump bodies.

316



BUILT TOUGH

The DuraClass **316** dump body takes style to a whole new level, with its sleek, clean horizontal side braces. But style has function in the 316. Deep flanged longmembers eliminate the need for crossmembers. As a result, the 316 is easier to keep clean in harsh environments where slush and salt buildup take their toll on hard working equipment. When Mother Nature is at her worst, DuraClass is at its best.

HPTB



BUILT RIGHT

DuraClass **HPTB**, "the TUB" body, is a lightweight champ in a heavyweight world. A semi-elliptical body using high tensile steels, crossmemberless understructure, and a body sidewall without extra bracing add up to an exceptional payload-to-weight ratio. The HPTB body's rounded floor and low center of gravity give it the strength and stability for heavy hauling. Loads are discharged cleanly from the curved body shell. Like all premium DuraClass bodies, you can choose the specific steel you need for the body sides, the floor, and the subframe.



DuraClass HPT and 316 feature fully enclosed front corner posts.



DuraClass Heavy Duty bodies come with full depth corner posts and enclosed tailgate hardware, another premium feature you won't find anywhere else in the industry.

HEAVY DUTY DUMP BODY (HPT)

Inside Length	13'	14'	15'	15'	16'	17'
Width	7'	7'	7'	7'	7'	7'
Body Capacity, yards	10-12	10-12	10-12	12-14	12-14	12-14
Material	10 ga					
Side/Front/Rear Height, in.	38/52/46	36/52/44	32/52/40	38/52/46	36/56/44	34/62/42
Hoist Model	HPT53-120		HPT53-130		HPT63-140	HPT63-150
Weight (Includes Hoist), lbs	3746	3978	4013	4107	4704	4760

HEAVY DUTY DUMP BODY (HPT-316)

Inside Length	14'	15'	16'	17'	18'
Width	7'	7'	7'	7'	7'
Body Capacity, yards	12-14	12-14	15-17	16-19	17-20
Material	3/16" floor & rear; 10 ga sides & front				
Side/Front/Rear Height, in.	42/54/50	38/54/46	44/56/52	44/64/52	44/68/52
Hoist Model	HPT53-120	HPT53-130	HPT63-140	HPT63-150	HPT63-160
Weight (Includes Hoist), lbs	4412	4597	4880	5020	5160

HEAVY DUTY DUMP BODY (HPTB "TUB")

Inside Length	14'	15'	16'	17'	18'
Width	7'	7'	7'	7'	7'
Body Capacity, yards	10-12	12-14	15-17	16-19	17-20
Material	3/16" HI-TEN				
Side/Front/Rear Height, in.	38/54/44	38/54/46	44/56/52	44/64/52	44/68/52
Hoist Model	HPT53-120	HPT53-130	HPT53-140	HPT53-150	HPT53-160
Weight (Includes Hoist), lbs	4309	4790	5171	5446	5600



PREMIUM STEEL CONSTRUCTION

All Heavy Duty DuraClass dump bodies have Hi-Tensile, minimum 45,000 psi steel. Additional steel and stainless steel options are available.

ADDITIONAL BODY OPTIONS

- Aluminum (Cab Shields & Tailgates only)
- Sloped Tailgate
- Reverse Asphalt Taper
- Sloping Side Panels
- Hi-Lift Tailgate, Air or Hydraulic
- Dual Action Side Swing Tailgate
- Body Side Steps and Handles
- Tarp Rails and Walk Rails
- Variety of Sliding Door Options
- Custom Side and Tailgate Heights
- Custom Body Bracing
- Air Operated Hoist Controls
- Variety of Cylinder/Doghouse Configurations

All bodies shown with some optional equipment. Models and options are subject to change without notice.



Greaseable rear hinges have the widest bearing surface and largest pin diameter in the industry.



Call 1-800-622-8223

HPT

Frameless
Head-Mount Design

HOIST

HPT Benefits:

- **Maximized payload** with a lighter weight design
- **Increased capacity** as a result of high-pressure hydraulics.
- **Low maintenance design** with U-cup cylinder seals that never need adjustment
- **Premium** rear hinge design with wide pedestal style, lubricated hinges and solid pins.
- **Better stability** with low center of gravity and strong pin design
- **Increased productivity** with faster cycling, both raising and lowering of body.
- **Improved longevity** with hard chrome plated hoist sleeves



Standard Features

- Two body props
- Fully welded construction

DuraClass 336 Protection...

Rely on our promise to you, 36 months warranty on the 3 most important components of your HPT hydraulic system- the pump, valve and cylinder- if our materials or workmanship fail.

HOIST MODEL	NTEA CLASS	WEIGHT** (LBS)	CAPACITY* (TONS)																			
			10'		11'		12'		13'		14'		15'		16'		17'		18'		19'	
Body Length			12"	6"	12"	6"	12"	6"	12"	12"	18"	12"	18"	12"	18"	12"	18"	12"	18"	12"	18"	
HPT53-90	70	670	29.3	23.1	25.5																	
HPT53-110	70	725				23.9	26.7															
HPT53-120	80	745						23.3	25.6	23.7	26											
HPT53-130	80	750										23.4	25.3									
HPT63-120	110	985						38.4	42.3	39.1	42.9											
HPT63-130	110	995										38	41.2									
HPT63-140	120	1020												38.1	41.1	36.5	38.8					
HPT63-150	120	1040													38	40.6	36	38.2				
HPT63-160	120	1060															37	39.4	35.7	37.7		

*Capacity is based on water-level load and approximately 50° dump angle.

**Weight is less oil and PTO

Inverted telescopic hoists also available.



For questions or to place an order, please contact
HAWKEYE TRUCK EQUIPMENT at
515-289-1755 or 1-800-622-8223.

Printed in USA

©2013 Truck Bodies &
Equipment International, Inc.