STEEL UNDERBED BOX KEY FEATURES

- Gutter design & weather stripping easy and positive door closure that protects against the elements
- 2 3-point latching system for optimum security and weather resistance
- 3 Stainless Steel D Handle for easy and positive door closure, and added protection against break-ins
- 4 Tool-less quick release drop down door full and easy access, adjusts from 90° to 180°
- 5 Powder coat finish years of dependability
- 6 Limited Lifetime Warranty for peace of mind

STANDARD UNDERBED



141/2"H x 281/2"W 6.7 CUBIC FEET

5.6 CUBIC FEET 530-3-02 530-5-02

(30½"L x 18¼"W x 18½"H) Ship Weight: 70 Lbs. **Door Opening Measures:**

536-3-02

536-5-02 (shown)

Ship Weight: 82 Lbs.

Door Opening Measures: 141/2"H x 343/4"W

9.1 CUBIC FEET

548-3-02

548-5-02

(481/s"L x 181/4"W x 181/s"H)

Ship Weight: 100 Lbs.

Door Opening Measures: 14½"H x 46¼"W

11.2 CUBIC FEET

560-3-02

560-5-02

(60½"L x 18¼"W x 18½"H)

Ship Weight: 135 Lbs.

Door Opening Measures:

Door Opening Measures: 14½"H x 58¼"W 141/2"H x 221/2"W

JUMBO UNDERBED

4.5 CUBIC FEET

(24½"L x 18¼"W x 18½"H)

Ship Weight: 60 Lbs.

524-3-02

524-5-02



16.2 CUBIC FEET

550-3-02

550-5-02

(48½"L x 24¼"W x 24½"H)

Ship Weight: 145 Lbs.

Door Opening Measures:

20½"H x 46¼"W

20.2 CUBIC FEET

562-5-02

(60½"L x 24¼"W x 24½"H)

Ship Weight: 181 Lbs.

Door Opening Measures:

12.1 CUBIC FEET



538-3-02 (shown)

538-5-02


(365/8"L x 241/4"W x 241/8"H)

Ship Weight: 111 Lbs.

Door Opening Measures:

20½"H x 34¼"W

ALUMINUM UNDERBED BOXES



UNITS PROVIDE DURABILITY AT LIGHTER WEIGHT

WEATHER GUARD® Aluminum Underbed Boxes are available in compact, standard and jumbo versions to meet your specific needs. Clear or Black ARMOR TUF® Powder Coat finishes extend the ruggedness of the diamond plate aluminum.



NEW!

ALUMINUM UNDERBED BOX KEY FEATURES

- Gutter design & weather stripping easy and positive door closure that protects against the elements
- 2 3-point latching system for optimum security and weather resistance
- 3 Stainless Steel D Handle for easy and positive door closure, and added protection against break-ins
- 4 Tool-less quick release drop down door full and easy access, adjusts from 90° to 180°
- 5 Powder coat finish years of dependability
- 6 Limited Lifetime Warranty for peace of mind



2.4 CUBIC FEET

622-0-02 622-5-02

Ship Weight: 24 Lbs.

Door Opening Measures: 91/4"H x 191/4"W

STANDARD UNDERBED



6.5 CUBIC FEET

636-0-02 (shown)

636-5-02 (365/8"L x 18"W x 18"H)

Ship Weight: 47 Lbs.

Door Opening Measures: 131/2"H x 311/4"W

8.6 CUBIC FEET

648-0-02 (48½"L x 18"W x 18"H)

Ship Weight: 62 Lbs.

Door Opening Measures: 13½"H x 43¼"W

11.2 CUBIC FEET



660-0-02

660-5-02 (60½"L x 18"W x 18"H)

Ship Weight: 76 Lbs.

Door Opening Measures: 131/2"H x 551/4"W

4.3 CUBIC FEET



627-0-02 (241/8"L x 181/4"W x 18"H) Ship Weight: 35 Lbs.

Door Opening Measures: 13½"H x 19¼"W

5.4 CUBIC FEET 631-02



631-5-02 (30½"L x 18"W x 18"H)

Ship Weight: 42 Lbs.

Door Opening Measures: 13½"H x 25¼"W

JUMBO UNDERBED



16 CUBIC FEET

650-0-02 (48½"L x 24"W x 24"H)

Ship Weight: 81 Lbs.

Door Opening Measures: 191/2"H x 431/4"W

20 CUBIC FEET



662-0-02 (shown) (60½"L x 24"W x 24"H)

Ship Weight: 100 Lbs.

Door Opening Measures: 191/2"H x 551/4"W

12.2 CUBIC FEET



638-0-02 (365/8"L x 24"W x 24"H)

Ship Weight: 65 Lbs.

Door Opening Measures: 191/2"H x 313/4"W

For questions or to place an order, contact HAWKEYE TRUCK EQUIPMENT at 515-289-1755 or 1-800-622-8223.