

ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

For questions or to place an order, please contact HAWKEYE TRUCK EQUIPMENT at 515-289-1755 or 1-800-622-8223.

SHPE0750 Series

1/4 Ton, 1/2 Ton, 3/4 Ton Trucks & Utility Vehicles

- Capacity: 0.75 cu. yds.
- Double-wall poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive gear motors (.5 HP for auger; .25 HP for spinner)
- 2.5" dia. stainless steel auger and trough

- Spinner assembly can be easily removed for cleaning and storage
- Includes top screen, poly tarp and tie-down kit, 12-Volt, 200 lb. vibrator, spreader hold-down kit

Options:

- Remote Grease Kit - Fits ALL SHPE spreaders (3022215)



3014199 - Variable Speed Controller



SHPE0750 on Utility Vehicles



SHPE0750



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

NEW

SHPE1000 Series

1/4 Ton, 1/2 Ton, 3/4 Ton Trucks

- Capacity: 1.00 cu. yds
- Double-wall poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive gear motors (.5 HP for auger; .25 HP for spinner)
- 2.5" dia. stainless steel auger and trough
- Spinner assembly can be easily removed for cleaning and storage
- Includes top screen, poly tarp and tie-down kit, 12-Volt, 200 lb. vibrator, spreader hold-down kit

Options:

- Remote Grease Kit - Fits ALL SHPE spreaders (3022215)



3014199 - Variable Speed Controller



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

SHPE1500 Series

3/4 Ton and 1 Ton Trucks

- Capacity: 1.45 cu. yds.
- Double-wall poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive gear motors (.5 HP for auger; .25 HP for spinner)
- 2.5" dia. stainless steel auger and trough
- Spinner assembly can be easily removed for cleaning and storage
- Includes top screen, poly tarp and tie-down kit, 12-Volt 200 lb. vibrator, spreader hold-down kit

Options:

- Remote Grease Kit - Fits ALL SHPE spreaders (3022215)

Not recommended for highway use



3014199 - Variable Speed Controller



SHPE1500 Series



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

SHPE2000 Series

3/4 Ton and 1 Ton Trucks

- Capacity: 2.00 cu. yds
- Double-wall poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive gear motors (.5 HP for auger; .25 HP for spinner)
- 2.5" dia. stainless steel auger and trough
- Spinner assembly can be easily removed for cleaning and storage
- Includes top screen, poly tarp and tie-down kit, 12-Volt 200 lb. vibrator, spreader hold-down kit

Options:

- Remote Grease Kit - Fits ALL SHPE spreaders (3022215)

Not recommended for highway use



3014199 - Variable Speed Controller



SHPE2000 SERIES



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

SHPE2250

1-ton trucks above 10,000 lbs. GVW

- Capacity: 2.20 cu. yds. (8')
- Poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner)
- 5.25" FULL LENGTH variable pitch carbon steel auger and stainless steel trough

- Spinner assembly can be easily removed for cleaning and storage
- Includes Top screen, stainless steel inverted V, vinyl tarp with tie-down kit, 12-Volt 200 lb. vibrator

Options:

- Remote Grease Kit - Fits ALL SHPE spreaders (3022215)

Not recommended for highway use



3016934 - Heavy Duty Variable Speed Controller

**5.25"
DIAMETER
FULL LENGTH
VARIABLE PITCH
AUGER**

**Adjustable
Height
Chute**

SHPE2250



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

SHPE3000

13,000 lbs. GVW and above

- Capacity: 3 cu. yds. (8' 6").
- Double-wall poly-molded hopper
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner)
- 6" dia. carbon steel auger and stainless steel trough
- Spinner assembly can be easily removed for cleaning and storage
- Double Doors: Interlocking gutter system and double-door lid channels water away
- Includes top screen, stainless steel inverted V, spreader tie-down kit, hinged poly lids, 12-Volt LED brake light, 12-Volt 400 lb. vibrator.

Not recommended for highway use



3016934 - Heavy Duty Variable Speed Controller



Adjustable Height Chute

SHPE3000



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

AUGER

ELECTRIC

SAND/SALT MIX

SHPE4000

15,000 lbs. GVW and above

- Capacity: 4.0 cu. yds. (8' 4")
- Poly-molded hopper with stainless steel frame
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner)
- 5.5" variable pitch auger
- Spinner assembly can be easily removed for cleaning and storage
- Includes top screen, stainless steel inverted V, vinyl tarp with tie-down kit, (2) 12-Volt 400 lb. vibrators.

Not recommended for highway use



3014199 - Variable Speed Controller



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT **AUGER** **ELECTRIC**
SAND/SALT MIX

SHPE6000

Minimum GVW of 25,999 lbs.

- Capacity: 6.0 cu. yds. (10' 7")
- Poly-molded hopper with stainless steel frame
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner).
- 6" variable pitch auger

- Weighs 1,000 lbs. less compared to steel/stainless steel
- Spinner assembly can be easily removed for cleaning and storage
- Includes two top screens, stainless steel inverted V, 12-Volt 900 lb. vibrator

Options:

- Tarp kit available #3021928

Not recommended for highway use



3016934 - Heavy Duty Variable Speed Controller



ELECTRIC DRIVE SALT & SAND SPREADERS

BULK SALT

CONVEYOR

ELECTRIC

SAND/SALT MIX

1400701SS

3/4-ton and 1-ton trucks.

- Capacity: 1.5 cu. yds. (6')
- 304 stainless steel hopper
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner)
- Conveyor: 12" wide all-steel pintle chain
- Feedgate: Lever operated with friction lock for accurate adjustment
- Spinner Chute Assembly: Six-fin 14" polymer disc, Chute adjusts up to 11.5"
- Includes two top screens, stainless steel inverted V, hold-down kit.

1400601SS

3/4-ton and 1-ton trucks.

- Capacity: 1400601SS – 2.0 cu. yds. (8')
- 304 stainless steel hopper
- Material spread up to 30'
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner).
- Conveyor: 12" wide all-steel pintle chain
- Feedgate: Lever operated with friction lock for accurate adjustment
- Spinner Chute Assembly: Six-fin 14" polymer disc, Chute adjusts up to 11.5"
- Includes two top screens, stainless steel inverted V, hold-down kit.



3016934 - Heavy Duty Variable Speed Controller



3016934 - Heavy Duty Variable Speed Controller

304SS



**ADJUSTABLE
CHUTE HAS
STANDARD and
EXTENDED
POSITIONS**

1400601SS

