

TOOLBOXES & MOUNTING BRACKETS

STEEL UNDERBODY TOOLBOXES



Steel Underbody Toolboxes

- 14-gauge steel box*
- 12-gauge steel door or black diamond tread aluminum door
- Recessed door and beveled door edges protect from moisture & road dirt.
- 1/2" thick gasket system

- Stainless steel, continuous hidden hinge
- Reinforced door backbone protects latch mechanism
- Stainless steel locking rotary paddle latch, T-handle latch or die cast T-handle compression latch on aluminum door
- "Aircraft cable" door retainers
- Replaceable doors
- Powder coated for corrosion resistance
- Available in black, white, or primed
- Individually boxed for shipping

ORDERING INFORMATION

PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.
BLACK, STAINLESS STEEL ROTARY PADDLE LATCH						
A 1703150	14	12	24	1	48 lbs.	530 (Y)
A 1703100	14	16	24	1	56 lbs.	530 (Y)
A 1703103	14	16	30	1	65 lbs.	530 (Y)
A 1702100	18	18	24	1	67 lbs.	530 (Y)
A 1702103	18	18	30	1	80 lbs.	530 (Y)
A 1702105	18	18	36	1	92 lbs.	530 (Y)
A 1702110	18	18	48	2	118 lbs.	530 (Y)
A 1702115	18	18	60	2	143 lbs.	530 (Y)
BLACK w/DIAMOND TREAD ALUMINUM DOOR & DIE-CAST T-HANDLE COMPRESSION LATCH						
B 1702500	18	18	24	1	61 lbs.	530 (Y)
B 1702503	18	18	30	1	72 lbs.	530 (Y)
B 1702505	18	18	36	1	82 lbs.	530 (Y)
B 1702510	18	18	48	2	104 lbs.	530 (Y)
BLACK, STAINLESS STEEL T-HANDLE LATCH						
C 1703350	14	12	24	1	48 lbs.	530 (Y)
C 1703300	14	16	24	1	56 lbs.	530 (Y)
C 1703303	14	16	30	1	65 lbs.	530 (Y)
C 1703305	14	16	36	1	74 lbs.	530 (Y)
C 1703330	16	14	18	1	50 lbs.	530 (Y)
C 1702300	18	18	24	1	67 lbs.	530 (Y)
C 1702303	18	18	30	1	80 lbs.	530 (Y)
C 1702305	18	18	36	1	92 lbs.	530 (Y)
C 1702310	18	18	48	2	118 lbs.	530 (Y)
C 1702315	18	18	60	2	143 lbs.	530 (Y)
C 1702317*	18	18	66	2	186 lbs.	530 (Y)
C 1702325	18	18	72	2, 2 Doors	156 lbs.	530 (Y)
C 1704300	24	24	24	1	87 lbs.	530 (Y)
C 1704303	24	24	30	1	100 lbs.	530 (Y)
C 1704305	24	24	36	1	116 lbs.	530 (Y)
C 1704310	24	24	48	2	145 lbs.	530 (Y)
C 1704315	24	24	60	2	175 lbs.	530 (Y)
C 1708310	18	24	48	2	133 lbs.	530 (Y)

NEW

ORDERING INFORMATION

PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.
WHITE, STAINLESS STEEL ROTARY PADDLE LATCH						
D 1703203	14	16	30	1	65 lbs.	530 (Y)
D 1702200	18	18	24	1	67 lbs.	530 (Y)
D 1702203	18	18	30	1	80 lbs.	530 (Y)
D 1702205	18	18	36	1	92 lbs.	530 (Y)
D 1702210	18	18	48	2	118 lbs.	530 (Y)
D 1702215	18	18	60	2	143 lbs.	530 (Y)
WHITE, STAINLESS STEEL T-HANDLE LATCH						
E 1703400	14	16	24	1	56 lbs.	530 (Y)
E 1703403	14	16	30	1	65 lbs.	530 (Y)
E 1703405	14	16	36	1	71 lbs.	530 (Y)
E 1702400	18	18	24	1	67 lbs.	530 (Y)
E 1702403	18	18	30	1	80 lbs.	530 (Y)
E 1702405	18	18	36	1	92 lbs.	530 (Y)
E 1702410	18	18	48	2	118 lbs.	530 (Y)
E 1702415	18	18	60	2	143 lbs.	530 (Y)
E 1702417*	18	18	66	2	186 lbs.	530 (Y)
E 1708410	18	24	48	2	133 lbs.	530 (Y)
E 1704400	24	24	24	1	87 lbs.	530 (Y)
E 1704403	24	24	30	1	100 lbs.	530 (Y)
E 1704405	24	24	36	1	116 lbs.	530 (Y)
E 1704410	24	24	48	2	145 lbs.	530 (Y)
E 1704415	24	24	60	2	175 lbs.	530 (Y)
PRIMED, STAINLESS STEEL T-HANDLE LATCH						
F 1703900	14	16	24	1	56 lbs.	530 (Y)
F 1702900	18	18	24	1	67 lbs.	530 (Y)
F 1702905	18	18	36	1	92 lbs.	530 (Y)
F 1702910	18	18	48	2	118 lbs.	530 (Y)

*66" boxes are constructed of 12-gauge steel box

TOOLBOXES & MOUNTING BRACKETS

STAINLESS STEEL & POLYMER UNDERBODY TOOLBOXES BRACKETS



A. 100% Polished Stainless Steel Underbody

- 16 gauge polished stainless steel box and door
- Pan formed door
- D-Bulb door seal
- Die cast locking T-handle compression latch
- Stainless steel continuous hinge protects from moisture and road dirt
- Aircraft cable door retainers
- No surface bolts or weld marks on door

B. - D. Stainless Steel Underbody Toolboxes

- 14-gauge SS (mil finish) or powder coated steel box
- 14-gauge, bright polished, SS door
- Recessed/beveled door (doors are replaceable)
- Rain channel design, 1/2" door gasket
- Die cast locking T-handle compression latch (2 Latches on 48" & 60" boxes)
- SS continuous hinge protects from moisture & road dirt
- Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism
- No surface bolts or weld marks on door
- "Aircraft cable" door retainers
- Full open door (remove cable & door opens completely)

E. Polymer Underbody Toolboxes

- Constructed of molded high-density ribbed polyethylene
- D-bulb door seal protects from the elements
- Stainless steel recessed locking T-handle 3-point latch w/roller (includes 2 keys)
- Strong double-wall door
- 1/4" stainless steel full width hinge pin

ORDERING INFORMATION							
PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.	
POLISHED STAINLESS STEEL BOX & DOOR w/DIE-CAST T-HANDLE							
A 1702650	18	18	24	1	72 lbs.	530 (N)	
A 1702653	18	18	30	1	77 lbs.	530 (N)	
A 1702655	18	18	36	1	83 lbs.	530 (N)	
A 1702660	18	18	48	2	96 lbs.	530 (N)	
BLACK STEEL BOX w/POLISHED STAINLESS STEEL DOOR							
B 1703700	14	16	24	1	55 lbs.	530 (Y)	
B 1703703	14	16	30	1	64 lbs.	530 (Y)	
B 1703705	14	16	36	1	71 lbs.	530 (Y)	
B 1702700	18	18	24	1	72 lbs.	530 (Y)	
B 1702703	18	18	30	1	81 lbs.	530 (Y)	
B 1702705	18	18	36	1	101 lbs.	530 (Y)	
B 1702710	18	18	48	2	110 lbs.	530 (Y)	
B 1702715	18	18	60	2	132 lbs.	530 (Y)	
B 1702725	18	18	72	2, 2 doors	156 lbs.	530 (Y)	
B 1704705	24	24	36	1	132 lbs.	530 (Y)	
B 1704710	24	24	48	2	169 lbs.	530 (Y)	
B 1704715	24	24	60	2	227 lbs.	530 (Y)	

ORDERING INFORMATION							
PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.	
STAINLESS STEEL BOX w/POLISHED STAINLESS STEEL DOOR							
C 1702600	18	18	24	1	72 lbs.	530 (Y)	
C 1702603	18	18	30	1	81 lbs.	530 (Y)	
C 1702605	18	18	36	1	101 lbs.	530 (Y)	
C 1702610	18	18	48	2	110 lbs.	530 (Y)	
WHITE STEEL BOX w/POLISHED STAINLESS STEEL DOOR							
D 1702805	18	18	36	1	101 lbs.	530 (Y)	
D 1702810	18	18	48	2	110 lbs.	530 (Y)	
D 1702815	18	18	60	2	132 lbs.	530 (Y)	
POLYMER BOX							
E 1717100	18	18	24	1	24 lbs.	530 (Y)	
E 1717105	18	18	36	1	31 lbs.	530 (Y)	
E 1717110	18	18	48	1	42 lbs.	530 (Y)	


ACCESSORIES				
PART NO.	DESCRIPTION	DIM.	WT.	CAT.
F 1701000	Steel Underbody Mounting Brackets, for 24" & 36" Poly	15"x14"	11 lbs.	531 (Y)
F 1701001	Steel Underbody Mounting Brackets, for 48" Poly	15"x14"	11 lbs.	531 (Y)
G 1701005	Welded Brackets for Steel	18"x18"	24 lbs.	531 (Y)
G 1701005B	Bolted Brackets for Steel	18"x18"	24 lbs.	531 (Y)
G 1701010	Welded Brackets for Steel	18"x24"	27 lbs.	531 (Y)
G 1701010B	Bolted Brackets for Steel	18"x24"	27 lbs.	531 (Y)
G 1701015	Welded Brackets for Steel	24"x24"	32 lbs.	531 (Y)
H 1701031	Welded Brackets, SS	18"x18"	19 lbs.	531 (Y)
H 1701041	Welded Brackets, SS	18"x24"	22 lbs.	531 (Y)

NEW
NEW



F. Poly Box Mounting Brackets

- Constructed of heavy-duty 2" C-channel A-36 steel
- Black powder coated
- Channel fits inside toolbox ribs
- Pre-drilled 7/16" mounting holes (nuts/bolts not included)
- Sold in boxed pairs



G. Universal Mounting Brackets

- Constructed of heavy-duty 3" C-channel A-36 steel, Black powder coated for corrosion resistance, Universal hole pattern for quick and easy mounting, Available with welded braces or bolt-on braces
- Sold in boxed pairs



H. Stainless Steel Mounting Brackets

- Stainless Steel Construction
- Universal hole pattern for quick and easy mounting,
- Welded braces
- Sold in boxed pairs

TOOLBOXES & MOUNTING BRACKETS

ALUMINUM UNDERBODY TOOLBOXES



A. - B Aluminum Underbody Toolboxes

- .100 mil polished diamond tread aluminum
- Recessed/beveled door
- Rain channel design
- Reinforced door backbone strengthens door's integrity and protects latch mechanism
- 1/2" door gasket (automotive-style)
- Continuous hidden hinge protects from moisture & road dirt
- Die cast locking T-handle compression latch (two latches on 48" & 60" toolbox)
- Replaceable doors
- Doors interchange with steel underbody toolboxes
- Individually boxed for shipping

C. Aluminum Underbody Toolboxes with Drawer

- Top Drawer with Adj. Dividers
- 100 lb. Rated Drawer Slides
- .100" Thick Aluminum Diamond Tread
- Die cast locking T-handle compression latch
- Weather Resistant Rain Gutter Design
- 1/2" Thick Gasket System Helps to Seal Out Weather and Road Grime
- Individually boxed for shipping

D. - E. Barn-Door Style Aluminum Underbody Toolboxes

- 3 point latch system
- Exterior door with full gutter design for improved sealing
- .100 mil polished diamond tread aluminum
- Reinforced door backbone strengthens door's integrity and protects latch mechanism
- Doors swing outward, providing closer access to the contents of the box.
- Single left-swing door on boxes 30" wide and smaller
- Double doors on boxes 36" wide and larger. Doors swing out from center and include Die cast locking T-handle compression latch on right door. All double-door styles feature "full access" openings
- Individually boxed for shipping

F. Smooth Aluminum Double Barn-Door Style Underbody Toolboxes

- 3 point latch system
- Exterior door with full gutter design for improved sealing
- .125" thickness smooth aluminum construction
- T.I.G. welded corners
- Stainless steel continuous hinges
- Die cast locking T-handle compression latch
- D-bulb door seal
- No center post for maximum door opening
- Individually boxed for shipping

G. Aluminum Mounting Brackets

- Natural aluminum finish
- 1/4" Formed angles with welded brace
- Sold in boxed pairs

ORDERING INFORMATION

PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.
ALUMINUM RECESSED DOOR, T-HANDLE LATCH						
A 1705150	14	12	24	1	23 lbs.	530 (Y)
A 1705160	14	16	24	1	25 lbs.	530 (Y)
A 1705101	18	18	18	1	28 lbs.	530 (Y)
A 1705100	18	18	24	1	30 lbs.	530 (Y)
A 1705103	18	18	30	1	38 lbs.	530 (Y)
A 1705105	18	18	36	1	40 lbs.	530 (Y)
B 1705110	18	18	48	2	50 lbs.	530 (Y)
B 1705115	18	18	60	2	62 lbs.	530 (Y)
B 1705120	18	24	48	2	58 lbs.	530 (Y)
A 1705130	24	24	24	1	45 lbs.	530 (Y)
A 1705133	24	24	30	1	52 lbs.	530 (Y)
A 1705135	24	24	36	1	65 lbs.	530 (Y)
B 1705140	24	24	48	2	75 lbs.	530 (Y)
B 1705145	24	24	60	2	86 lbs.	530 (Y)
C 1712205	20	18	36	2	53 lbs.	530 (Y)
C 1712210	20	18	48	2	85 lbs.	530 (Y)
ALUMINUM LEFT SWING SINGLE DOOR, T-HANDLE						
D 1705201	18	18	18	1	27 lbs.	530 (Y)
D 1705200	18	18	24	1	36 lbs.	530 (Y)
D 1705203	18	18	30	1	42 lbs.	530 (Y)

ORDERING INFORMATION

PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT	CAT.
ALUMINUM DOUBLE BARN DOOR, T-HANDLE						
E 1702235	24	24	36	2	71 lbs.	530 (Y)
E 1702240	24	24	48	2	76 lbs.	530 (Y)
E 1702250	24	24	60	2	87 lbs.	530 (Y)
E 1705205	18	18	36	2	49 lbs.	530 (Y)
E 1705210	18	18	48	2	63 lbs.	530 (Y)
E 1705215	18	18	60	2	77 lbs.	530 (Y)
SMOOTH ALUMINUM DOUBLE BARN DOOR, T-HANDLE						
F 1705305	18	18	36	2	49 lbs.	530 (Y)
F 1705310	18	18	48	2	63 lbs.	530 (Y)
F 1705315	18	18	60	2	77 lbs.	530 (Y)
F 1705335	24	24	36	2	75 lbs.	530 (Y)
F 1705340	24	24	48	2	87 lbs.	530 (Y)
F 1705345	24	24	60	2	99 lbs.	530 (Y)

NEW
NEW
NEW

ACCESSORIES & REPLACEMENT PARTS

PART NO.	DESCRIPTION	DIMENSIONS	WEIGHT	CAT.
G 1701030	Welded Brackets, Alum.	18" x 18"	3 lbs.	531 (Y)
G 1701040	Welded Brackets, Alum.	24" x 24"	4 lbs.	531 (Y)