Telescoping Electric Flip Tarp System


Dump Bodies

- Telescoping Electric Flip Tarp system provided complete with polished aluminum three-piece wind deflector, side-mount springs and two-piece telescoping heavy-duty tarp arms
- Fits up to twenty-two-length dump body or small trailer





Four spiral spring combination for flipping pressure to accommodate asphalt tarps



Telescoping wind deflector; no cutting – just slide in or out to fit your application

CONSTRUCTION, EXCAVATION, PAVING & LANDSCAPING

Flip Tarp Systems

Dump Bodies

- · Guaranteed unbreakable tarp arm
- Custom-order tarp pivot arms to your specifications
- Manual, ground-operated roller system or fully-automatic drive option
- 3-year, non-prorated warranty on electric motor
- Spring assemblies available in side-mount 4 or 5 spring or torsion spring with 3,300 lbs. hold-down pressure
- Polished anodized aluminum windshield and endplates, for top mount or axle only for inside mount
- · Versatile-use wind deflector
- Tarp Saver Bar option locks tarp down on high cab shield mounts to prevent billowing, flapping and loss of contents
- Rocker switch with solenoid is standard; rotary switch or remote control available
- Heavy-duty Black Mesh tarp, 18 oz vinyl alternate for asphalt applications
- Optional spring cover for 4 spring side-mount

Roller Assembly Options

Roller assembly

mounting options

available



3300 lb. flipping pressure

High polish anodized aluminum windshield and end-plates protect the tarp roller; used when not enough room inside cab shield



Tarp Saver Bar option locks tarp

down on high cab shield mounts

3-year motor warranty

Guaranteed unbreakable

tarp arms

Can be mounted inside cab shield for lower profile. Cab shield then serves as wind deflector

Featuring the industry's only

Guaranteed Unbreakable Tarp Arm



Only Mountain Tarp offers the guaranteed unbreakable tarp arm. Don't be fooled by imitations. Demand the original Mountain Tarp Flip Tarp system with unbreakable tarp arms.

Spring Options




Through-bottom rail



Under rail with aluminum or steel plate; any size bed




Standard 4-spring side mount 22' max beds



Optional 5-spring side mount 24'-28' beds

Belly Dumps

- Guaranteed unbreakable one-piece tarp pivot arms
- Diamond tread plate roller box for manual system
- · Smooth roller box for electric system
- · Includes all necessary attachments
- · Custom attachments optional
- Mesh tarp, 18 oz vinyl alternate for asphalt applications



Transfer Sets



- Designed for transfer sets, trucks and pups
- Guaranteed unbreakable one-piece tarp pivot arms
- Total electric operation; high torque motor warranty
- 5-spring, side-mount clock springs; can be mounted up to 18" below top rail for high mount applications
- Outside-mounted arms on front body, inside-mounted with spring covers on rear transfer box
- Mountain Mesh tarp, 18 oz vinyl alternate for asphalt applications

Original Coal Bucket


- Applications up to 36'
- Guaranteed unbreakable one-piece tarp pivot arms
- Durable (some systems manufactured in 1986 still currently in use)
- Available in electric or manual option
- Roller box provided to be mounted flush with top of bulkhead
- 3300 lb torsion spring assembly mounted in or under bottom rail by use of spring drop plates
- · Ladder option available
- Mesh tarp



CONSTRUCTION, EXCAVATION, PAVING & LANDSCAPING

Demolition Half-Round

- Guaranteed unbreakable one-piece tarp pivot arms
- Custom 7' bend in arms and unbreakable custom bracing to eliminate excess system width
- Total electric operation
- 3,300 lb torsion spring assembly and custom attachment
- Smooth anodized and polished aluminum housing
- · Custom attachments for any trailer
- Mesh tarp



Southern Specification Trailers



- Designed to meet specs for small trailers up to 28' in Southern U.S.
- Guaranteed unbreakable one-piece tarp pivot arms
- Electric or manual option: topmounted, smooth roller assembly
- 3,300 lb torsion spring assembly and aluminum drop plates
- Safety chains hold down tarp pivot arms; available with all systems
- · Remote control available
- Mesh, Gorilla Mesh or Hot Top cover available with this kit



Open Top Transfer Trailers

- Covers chip and transfer trailers up to 45'
- 3/4 inch thick tarp pivot arms
- Dual 3,900 lb springs used for covering enddumps over 36' and open-top trailers up to 45'
- Roller box is mounted 3" below top of trailer so tarp covers front of bulkhead
- · Pre-assembled front assembly
- · Mountain Mesh tarp





Double arm for end dumps 37' to 45' long