

Tarping Made Easy



Automatic Arm Systems

Electric Motor Drive

The reliable Superwinch® Motor Drive is covered by a 3 year prorated manufacturer's warranty. Can be operated by wireless remote control, in-cab switch, or external switch.

Steel Four Spring Pivots

Great for applications up to 22'. These pivots are powder coated silver for a great appearance

Upgradeable

Systems can be ordered with an extra heavy duty Superwinch® electric motor

Aluminum Four Spring Pivots

Great for aluminum applications up to 22'. These pivots are light weight and pivot on UHMW bushings for smooth long lasting operation.

Single Spring Pivots

Designed for applications up to 40'. The pivots are fully enclosed and pivot on UHMW bushings for smooth and long lasting operation

Roller Tube

Easily remove or install any tarp. Tarp slides in and out of the groove on the roller tube.

Inside the Box Pivots

Designed for Rear Transfer and High Mount Boxes. The pivots are fully enclosed and pivot on UHMW bushings. Powerful enough to deploy even when covered with some material.

Urethane Bumpers

Protect the body and reduce noise. Easy to install and can be retrofitted to existing systems.

Side Flaps
Vinyl Side Flaps are available for all tarps.

Ultimate Aluminum
New oval extruded aluminum arms are stronger and look great. This new design has the added power of 5 springs per side for applications up to 30'. Rotates on sealed bearings

Grommets
Come standard on all tarps.

New Universal Tear Drop Pull Bar System

Urethane Bumpers

Optional Arm Catchers
Holds Arms in place. Stops the arms from bouncing while in transit and reduces noise

Standard Arm Tubing

Arms are made of common fence pipe or aluminum tubing. This allows for easy and inexpensive repairs in the field.


Simply the Best!



For questions or to place an order, contact HAWKEYE TRUCK EQUIPMENT at 515-289-1755 or 1-800-622-8223.


Electric Housing Choices

Stock Housing Widths 80", 84", 87", 89", 93", 96", & 100"




9" Open (Part # 201-0215)

Basic system great for applications where loader damage and falling debris is not a concern. Holds up to 40' of tarp.




7" Aluminum (Part # 204-0215; 1.3 hp 206-0215)

Lightweight system where falling debris is not a concern. Wind Guard is included. Holds up to 22' of tarp.



Steel Protector (Part # 208-0215; 1.3 hp 224-0215)

Galvanized steel housing that offers good protection against loader damage, falling debris and wind. Holds up to 22' of tarp.



Protector Plus (Part # 217-0215; 1.3 hp 226-0215)

A higher capacity galvanized system for applications that require some protection from falling debris. For applications up to 30'.



X-Pando (Part # 218-3017)

Extremely strong and durable one size fits all system. Fits body widths from 78" to 102". Holds up to 30' of tarp.



9.5" Universal Super Shield

(Part # 210-0215; 1.3 hp 216-0215)

Strongest, most durable Automatic Arm System available in the industry. Fully welded 12 gauge steel. Holds up to 40' of tarp.

Automatic Arm Kits

All Automatic Arm sets come standard with Pulltarps New Double Wrap Teardrop Technology.



Steel - Four Spring Arm Kit

- Lower spring assembly powder coated silver
- Steel Upper Arms
- Telescoping arms for easy length adjustment.
- Interchangeable with other brands of tarping systems
- Available with 4" off-set.

4 Spring Steel Arm Kit w/ Bent Upper Arms... Part # 501-0749

4 Spring Steel Arm Kit..... Part # 501-0782

These arms will save you money. They are made of common fence pipe that is inexpensive and easy to replace. Can handle applications up to 22' in length.

◦ **Match the Housing with an Arm Kit for a complete System Kit** ◦

Aluminum - Four Spring Arm Kit

- Pivots on UHMW Bushings.
- Telescoping arms for easy length adjustment.
- Available with 4" off-set

The one-piece cast aluminum pivots are strong and lightweight. The arms are made of heavy wall aluminum schedule 40 tubing. Can handle applications up to 22' in length.



Aluminum Arm Kit w/ Bent Upper Arms..... Part # 501-0752
Aluminum Arm Kit..... Part # 501-0783

Ultimate Aluminum Arm Kit

- Pivots on sealed bearings.
- 350 lbs of torque per side
- 240° Rotation for more preload pressure

Great looking kit with extruded aluminum arms that are bright dipped for a finish that lasts longer than just polishing. These pivots have a fully enclosed five spring assembly designed for longer applications. Can handle applications up to 30' in length.



5 Spring Standard Arm Kit to 22'..... Part # 501-0792
5 Spring Arm Kit to 30'..... Part # 501-0795

Single Spring Arm Kit

- Powder coated 2" spring to resist corrosion
- Pivots on UHMW Bushings.
- Available with steel or aluminum arms

Simply the Best. These pivots have a fully enclosed single spring assembly designed for longer applications. Can handle applications up to 40' in length when used with aluminum arms (steel arms to 33').



Single Spring Steel Arm Kit w/ bent uppers to 33'..... Part # 501-0763
Single Spring Aluminum Arm Kit w/ bent uppers to 33'... Part # 501-0764
Single Spring Aluminum Arm Kit w/ bent uppers to 40'.... Part # 501-0765

Single Spring Steel Arm Kit to 33'..... Part # 501-0784
Single Spring Aluminum Arm Kit to 33'..... Part # 501-0785
Single Spring Aluminum Arm Kit to 40'..... Part # 501-0786

High Mount & Inside Rear Transfer Arm Kits

- Fully enclosed spring housing.
- Mounts inside or outside body.
- Light weight aluminum arms.
- Will require a 1.3 hp Superwinch® motor

Designed for special applications like spreaders and belly dumps that require the arm kit to be mounted high on the body or inside of the rear transfers and dump trucks. The pivot sets feature three springs inside a fully enclosed housing that rotates smoothly on long wearing UHMW bushings. The arms are made of schedule 40 aluminum tubing.



External High Mount Arm Kit..... Part # 501-0781



Inside Rear Transfer Arm Kit..... Part # 501-0780

◦ **All Wiring, Switches, & Hardware are included with complete Kits** ◦



Smart Switch™ with Wireless Remote

Easy to install with no switch to wire. The unique transmitter codes do not interfere with other remote devices. Can be operated up to 150 feet away and 360° around the rig.

12V Part # 501-9958



Superwinch® Electric Motor Drive

Powerful Superwinch® tarp motors are backed by a 3 year Manufacturer's warranty. Available in 1.3hp for the toughest applications.

1.1 hp, 12V Part # 517-0906

1.3 hp, 12V Part # 517-0909




Heavy Duty Trailer Connector

For heavy duty and severe service applications. Great for longer wire runs. Large contacts resist corrosion. Highest amperage rating available.

2 Wire with Steel Mount Part # 514-0501


2 Wire with Aluminum Mount Part # 514-0502



Tarp Tamer

The Tarp Tamer's fixed roller holds the front of the tarp down to prevent material from blowing out. Superior to gravity systems because the tarp is held under spring tension. The Tarp Tamer can be used with Pulltarps®, Manual Arms, and Automatic Arm systems.

Part # 501-0701



Optional Arm Catchers

Arm Catchers provide a cradle for the arms to rest in. A small lip in the Arm Catcher snaps the arm in place. This stops the arm from bouncing while in transit and further reduces noise.

Part # 501-1247



Bent Arms and Extensions

Bent arms will stay out of harms way while loading. This will increase the life of your tarp system's arms. Bent Extensions can be added to straight arms as an upgrade.

Aluminum Upper to 33' Part # 501-1214

Aluminum Upper to 40' Part # 501-1216

Steel Upper to 33' Part # 501-1205

35° Extension Part # 501-1230

New Double Wrap Teardrop Technology



All Automatic Arm sets come standard with Pulltarps Double Wrap Teardrop Technology. A process where the Hem Tube slides into the Universal Teardrop Pullbar and the tarp wraps around the bar twice in order to eliminate bunching and the stress on the stitching. The Urethane Bumpers are then fastened to the pullbar. This keeps the tarp centered and reduces noise.



Simply the Best!

For questions or to place an order, contact HAWKEYE TRUCK EQUIPMENT at 515-289-1755 or 1-800-622-8223.

